


### Features

- Qualcomm Atheros QCN9274 for Industrial Grade;
- Maxim Tx power 22dBm per chain;
- 2x2 5G & 2x2 6G MU-MIMO, up to 8,647Mbps physical data rate;
- Support up to 4096-QAM;
- M.2 connector;
- PCI Express 3.0 Interface;



### Applications

- Security Surveillance
- Commercial radio coverage
- Hotel Wireless application
- Country coverage
- Forest fire protection engineering
- Some special scene application

### Product Description

DR9274-5G&6G based on QCN9274 Chipset is an enterprise wireless module integrated with 2x2 MU-MIMO Dual Band Wireless Module designed specifically to provide users with mobile access to high-bandwidth video streaming, voice, and data transmission for office and challenging RFenvironment in factories, warehouses establishment.

### Absolute Maximum Rating

Parameter	Rating	Unit
Operating Temperature Range	-20 ~ 70	°C
Storage Temperature Range	-40 ~ 85	°C
Operating Humidity Range	5 ~ 95 (non-condensing)	%
Storage Humidity Range	0 ~ 90 (non-condensing)	%

### Hardware Specifications

Symbol	Parameter
Chipset	Qualcomm Atheros QCN9274
WLAN Host Interface	PCI Express 3.0 Interface
System Memory	2Mbit serial I <sup>2</sup> C bus EEPROM
Standard Operating Voltage	5V
Operating Systems	QSDK
Host Interface	M.2 E Key interface with PCIe 3.0
Antenna Cable / Port	4x U.FL Connectors
Frequency Range	5GHz: 5.15~5.825GHz 6GHz: 5.925GHz-7.125GHz
Data Rates for WLAN	5GHz 802.11a/n/ax/be, max 22dBm per chain 6GHz 802.11a/n/ax/be, max 21dBm per chain
Channel Spectrum Widths for WLAN	Supports 20/40/80/160MHz at 5GHz Supports 20/40/80/160/320MHz at 6GHz
Modulation Techniques	OFDMA: BPSK, QPSK, DBPSK, DQPSK, 16-QAM, 64-QAM, 256-QAM, 1024QAM, 4096QAM
Temperature Range	Operating: -20 °C to 70 °C, Storage: -40 °C to 85 °C
Humidity	Operating: 5% to 95%, Storage: Max. 90%
Certification	REACH & RoHS Compliance
Power Consumption	10W (Maximum) , 8W(Normally)
Dimensions (WxHxD)	30mm x 50mm x 14.5mm

### RF Performance Table at 5GHz

Operating Mode	Data Rate	TX Power		RX Specificatio	Tolerance
		Per Chain	4 Chains	Sensitivity	
5GHz 802.11be EHT20	MCS 0	22dBm	25dBm	-96dBm	±2dB
	MCS 1	22dBm	25dBm	-92dBm	±2dB
	MCS 2	22dBm	25dBm	-89dBm	±2dB
	MCS 3	22dBm	25dBm	-85dBm	±2dB
	MCS 4	22dBm	25dBm	-84dBm	±2dB
	MCS 5	22dBm	25dBm	-80dBm	±2dB
	MCS 6	21dBm	24dBm	-78dBm	±2dB
	MCS 7	21dBm	24dBm	-76dBm	±2dB
	MCS 8	20dBm	23dBm	-72dBm	±2dB
	MCS 9	20dBm	23dBm	-70dBm	±2dB
	MCS 10	19dBm	22dBm	-66dBm	±2dB
	MCS 11	19dBm	22dBm	-64dBm	±2dB
	MCS 12	18dBm	21dBm	-60dBm	±2dB
	MCS 13	18dBm	21dBm	-58dBm	±2dB
5GHz 802.11be EHT40	MCS 0	22dBm	25dBm	-92dBm	±2dB
	MCS 1	22dBm	25dBm	-90dBm	±2dB
	MCS 2	22dBm	25dBm	-87dBm	±2dB
	MCS 3	22dBm	25dBm	-83dBm	±2dB
	MCS 4	22dBm	25dBm	-82dBm	±2dB
	MCS 5	22dBm	25dBm	-77dBm	±2dB
	MCS 6	21dBm	24dBm	-75dBm	±2dB
	MCS 7	21dBm	24dBm	-73dBm	±2dB
	MCS 8	20dBm	23dBm	-70dBm	±2dB
	MCS 9	20dBm	23dBm	-68dBm	±2dB
	MCS 10	19dBm	22dBm	-64dBm	±2dB
	MCS 11	19dBm	22dBm	-61dBm	±2dB
	MCS 12	18dBm	21dBm	-58dBm	±2dB
	MCS 13	18dBm	21dBm	-56dBm	±2dB
5GHz 802.11n EHT80	MCS 0	22dBm	25dBm	-90dBm	±2dB
	MCS 1	22dBm	25dBm	-86dBm	±2dB
	MCS 2	22dBm	25dBm	-84dBm	±2dB
	MCS 3	22dBm	25dBm	-81dBm	±2dB
	MCS 4	22dBm	25dBm	-78dBm	±2dB
	MCS 5	22dBm	25dBm	-74dBm	±2dB
	MCS 6	21dBm	24dBm	-71dBm	±2dB
	MCS 7	21dBm	24dBm	-70dBm	±2dB
	MCS 8	20dBm	23dBm	-66dBm	±2dB
	MCS 9	19dBm	22dBm	-63dBm	±2dB
	MCS 10	19dBm	22dBm	-60dBm	±2dB
	MCS 11	19dBm	22dBm	-58dBm	±2dB
	MCS 12	18dBm	21dBm	-55dBm	±2dB
	MCS 13	18dBm	21dBm	-52dBm	±2dB

## RF Performance Table at 5GHz

Operating Mode	Data Rate	TX Power		RX Specificatio	Tolerance
		Per Chain	4 Chains	Sensitivity	
5GHz 802.11be EHT160	MCS 0	22dBm	25dBm	-87dBm	±2dB
	MCS 1	22dBm	25dBm	-83dBm	±2dB
	MCS 2	22dBm	25dBm	-80dBm	±2dB
	MCS 3	22dBm	25dBm	-78dBm	±2dB
	MCS 4	22dBm	25dBm	-74dBm	±2dB
	MCS 5	22dBm	25dBm	-70dBm	±2dB
	MCS 6	21dBm	24dBm	-68dBm	±2dB
	MCS 7	21dBm	24dBm	-66dBm	±2dB
	MCS 8	20dBm	23dBm	-63dBm	±2dB
	MCS 9	19dBm	22dBm	-61dBm	±2dB
	MCS 10	19dBm	22dBm	-57dBm	±2dB
	MCS 11	19dBm	22dBm	-55dBm	±2dB
	MCS 12	18dBm	21dBm	-52dBm	±2dB
	MCS 13	18dBm	21dBm	-50dBm	±2dB

## RF Performance Table at 6GHz

Operating Mode	Data Rate	TX Power		RX Specificatio	Tolerance
		Per Chain	4 Chains	Sensitivity	
6GHz 802.11be EHT20	MCS 0	22dBm	25dBm	-93dBm	±2dB
	MCS 1	22dBm	25dBm	-91dBm	±2dB
	MCS 2	22dBm	25dBm	-88dBm	±2dB
	MCS 3	22dBm	25dBm	-85dBm	±2dB
	MCS 4	21dBm	24dBm	-82dBm	±2dB
	MCS 5	20dBm	23dBm	-79dBm	±2dB
	MCS 6	19dBm	22dBm	-77dBm	±2dB
	MCS 7	19dBm	22dBm	-75dBm	±2dB
	MCS 8	18dBm	21dBm	-71dBm	±2dB
	MCS 9	17dBm	20dBm	-68dBm	±2dB
	MCS 10	17dBm	20dBm	-66dBm	±2dB
	MCS 11	17dBm	20dBm	-63dBm	±2dB
	MCS 12	16dBm	19dBm	-60dBm	±2dB
	MCS 13	16dBm	19dBm	-57dBm	±2dB
6GHz 802.11be EHT20	MCS 0	22dBm	25dBm	-91dBm	±2dB
	MCS 1	22dBm	25dBm	-89dBm	±2dB
	MCS 2	22dBm	25dBm	-86dBm	±2dB
	MCS 3	22dBm	25dBm	-83dBm	±2dB
	MCS 4	21dBm	24dBm	-80dBm	±2dB
	MCS 5	20dBm	23dBm	-76dBm	±2dB
	MCS 6	19dBm	22dBm	-74dBm	±2dB
	MCS 7	19dBm	22dBm	-72dBm	±2dB
	MCS 8	18dBm	21dBm	-69dBm	±2dB
MCS 9	17dBm	20dBm	-67dBm	±2dB	



# DR9274-5G&6G

## WiFi7 2x2 5G & 2x2 6G MU-MIMO QCN9274 Dual Band WiFi Module

	MCS 10	17dBm	20dBm	-63dBm	±2dB
	MCS 11	17dBm	20dBm	-60dBm	±2dB
	MCS 12	16dBm	19dBm	-57dBm	±2dB
	MCS 13	16dBm	19dBm	-55dBm	±2dB
6GHz 802.11be EHT80	MCS 0	22dBm	25dBm	-89dBm	±2dB
	MCS 1	22dBm	25dBm	-86dBm	±2dB
	MCS 2	22dBm	25dBm	-83dBm	±2dB
	MCS 3	22dBm	25dBm	-80dBm	±2dB
	MCS 4	21dBm	24dBm	-77dBm	±2dB
	MCS 5	20dBm	23dBm	-72dBm	±2dB
	MCS 6	19dBm	22dBm	-70dBm	±2dB
	MCS 7	19dBm	22dBm	-68dBm	±2dB
	MCS 8	18dBm	21dBm	-65dBm	±2dB
	MCS 9	17dBm	20dBm	-63dBm	±2dB
	MCS 10	17dBm	20dBm	-60dBm	±2dB
	MCS 11	17dBm	20dBm	-57dBm	±2dB
	MCS 12	16dBm	19dBm	-54dBm	±2dB
	MCS 13	16dBm	19dBm	-52dBm	±2dB

## RF Performance Table at 6GHz

Operating Mode	Data Rate	TX Power		RX Specificatio	Tolerance
		Per Chain	4 Chains	Sensitivity	
6GHz 802.11be EHT160	MCS 0	22dBm	25dBm	-85dBm	±2dB
	MCS 1	22dBm	25dBm	-83dBm	±2dB
	MCS 2	22dBm	25dBm	-80dBm	±2dB
	MCS 3	22dBm	25dBm	-78dBm	±2dB
	MCS 4	21dBm	24dBm	-74dBm	±2dB
	MCS 5	20dBm	23dBm	-69dBm	±2dB
	MCS 6	19dBm	22dBm	-67dBm	±2dB
	MCS 7	19dBm	22dBm	-66dBm	±2dB
	MCS 8	18dBm	21dBm	-62dBm	±2dB
	MCS 9	17dBm	20dBm	-60dBm	±2dB
	MCS 10	17dBm	20dBm	-57dBm	±2dB
	MCS 11	17dBm	20dBm	-54dBm	±2dB
	MCS 12	16dBm	19dBm	-51dBm	±2dB
	MCS 13	16dBm	19dBm	-49dBm	±2dB
6GHz 802.11be EHT320	MCS 0	22dBm	25dBm	-83dBm	±2dB
	MCS 1	22dBm	25dBm	-80dBm	±2dB
	MCS 2	22dBm	25dBm	-76dBm	±2dB
	MCS 3	22dBm	25dBm	-73dBm	±2dB
	MCS 4	21dBm	24dBm	-71dBm	±2dB
	MCS 5	20dBm	23dBm	-66dBm	±2dB
	MCS 6	19dBm	22dBm	-64dBm	±2dB
	MCS 7	19dBm	22dBm	-62dBm	±2dB
	MCS 8	18dBm	21dBm	-59dBm	±2dB
	MCS 9	17dBm	20dBm	-57dBm	±2dB
	MCS 10	17dBm	20dBm	-53dBm	±2dB
	MCS 11	17dBm	20dBm	-51dBm	±2dB
	MCS 12	16dBm	19dBm	-48dBm	±2dB
	MCS 13	16dBm	19dBm	-46dBm	±2dB